

Domestos Professional Original

Revision: Jan 2026

Version: 01.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Domestos Professional Original

Domestos is a registered trade mark and is used under licence of Unilever

UFI: 0MAH-P18Y-800E-5WKM

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use:	Restroom/bathroom cleaner. Surface disinfectant. for general surface disinfection
Uses advised against:	Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_13_1
AISE_SWED_PW_19_2
PC8-Biocidal products
PC35-Washing and cleaning products

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, De Corridor 4, 3621ZB Breukelen [Maarssebroeksedijk 2, 3542DN Utrecht], The Netherlands

Contact details

Diversey Ltd
Weston Favell Centre, Northampton NN3 8PD, United Kingdom
Tel: 01604 405311, Fax: 01604 406809
Regulatory Email: customerservice.uk@solenis.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)
For medical or environmental emergency only:
call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Skin corrosion, Category 1B (H314)
Serious eye damage, Category 1 (H318)
Acute aquatic toxicity, Category 1 (H400)
Chronic aquatic toxicity, Category 2 (H411)
Corrosive to metals, Category 1 (H290)

2.2 Label elements



Signal word: Danger.

Contains sodium hypochlorite (active chlorine) (Sodium Hypochlorite), amines, C12-18-alkyldimethyl, N-oxides (Cocamine Oxide)

Hazard statements:

H290 - May be corrosive to metals.
H314 - Causes severe skin burns and eye damage.
H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements:

P260 - Do not breathe vapours.
P280 - Wear protective gloves, protective clothing and eye or face protection.
P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

Domestos Professional Original

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 - Immediately call a POISON CENTRE, doctor or physician.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients**3.2 Mixtures**

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
sodium hypochlorite (active chlorine)	231-668-3	7681-52-9	[6]	EUH031 Skin corrosion, Category 1B (H314) Serious eye damage, Category 1 (H318) Acute aquatic toxicity, Category 1 M=10 (H400) Chronic aquatic toxicity, Category 1 M=1 (H410) Corrosive to metals, Category 1 (H290)		3-10
amines, C12-18-alkyldimethyl, N-oxides	931-341-1	68955-55-5	01-211948939 6-21	Acute toxicity - Oral, Category 4 (H302) Skin irritation, Category 2 (H315) Serious eye damage, Category 1 (H318) Acute aquatic toxicity, Category 1 M=1 (H400) Chronic aquatic toxicity, Category 2 (H411)		1-3
sodium hydroxide	215-185-5	1310-73-2	01-211945789 2-27	Skin corrosion, Category 1A (H314) Corrosive to metals, Category 1 (H290)		0.1-1

Specific concentration limits

sodium hypochlorite (active chlorine):

- EUH031 >= 5%

sodium hydroxide:

- Serious eye damage, Category 1 (H318) >= 2% > Eye irritation, Category 2 (H319) >= 0.5%

- Skin corrosion, Category 1A (H314) >= 5% > Skin corrosion, Category 1B (H314) >= 2% > Skin irritation, Category 2 (H315) >= 0.5%

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16..

SECTION 4: First aid measures**4.1 Description of first aid measures****General Information:**

If unconscious place in recovery position and seek medical advice. Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator.

Inhalation:

Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you feel unwell.

Skin contact:

Wash skin with plenty of lukewarm, gently flowing water for at least 30 minutes. Wash skin with plenty of lukewarm, gently flowing water. Take off immediately all contaminated clothing and wash it before reuse. Immediately call a POISON CENTRE, doctor or physician. If skin irritation occurs: Get medical advice or attention.

Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Keep at rest. Immediately call a POISON CENTRE, doctor or physician.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed**Inhalation:**

May cause bronchospasm in chlorine sensitive individuals.

Skin contact:

Causes severe burns.

Eye contact:

Causes severe or permanent damage.

Ingestion:

Ingestion will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

Domestos Professional Original

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation. Do not breathe dust or vapour. Wear suitable protective clothing. Wear eye/face protection. Wear suitable gloves.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

6.3 Methods and material for containment and cleaning up

Ensure adequate ventilation. Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advice on general occupational hygiene:

Follow general hygiene considerations recognised as common good workplace practices. Keep away from food, drink and animal feeding stuffs. Keep out of reach of children. Do not mix with other products unless advised by Diversey. Wash hands thoroughly after handling. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Avoid contact with skin and eyes. Do not breathe vapours. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. Keep locked up and out of the reach of children. Keep from freezing.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

Comah - Lower Tier requirements (tonnes): 100

Comah - Upper Tier requirements (tonnes): 200

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
sodium hydroxide		2 mg/m ³

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and PNEC values**Human exposure**

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects

sodium hypochlorite (active chlorine)	-	-	-	0.26
amines, C12-18-alkyldimethyl, N-oxides	No data available	No data available	No data available	No data available
sodium hydroxide	-	-	-	-

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium hypochlorite (active chlorine)	-	-	0.5 %	-
amines, C12-18-alkyldimethyl, N-oxides	No data available	No data available	No data available	No data available
sodium hydroxide	2 %	-	-	-

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
sodium hypochlorite (active chlorine)	-	-	0.5 %	-
amines, C12-18-alkyldimethyl, N-oxides	No data available	No data available	No data available	No data available
sodium hydroxide	2 %	-	-	-

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium hypochlorite (active chlorine)	3.1	3.1	1.55	1.55
amines, C12-18-alkyldimethyl, N-oxides	No data available	No data available	No data available	No data available
sodium hydroxide	-	-	1	-

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
sodium hypochlorite (active chlorine)	3.1	3.1	1.55	1.55
amines, C12-18-alkyldimethyl, N-oxides	No data available	No data available	No data available	No data available
sodium hydroxide	-	-	1	-

Environmental exposure

Environmental exposure - PNEC

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
sodium hypochlorite (active chlorine)	0.00021	0.00042	0.00026	0.03
amines, C12-18-alkyldimethyl, N-oxides	No data available	No data available	No data available	No data available
sodium hydroxide	-	-	-	-

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m ³)
sodium hypochlorite (active chlorine)	-	-	-	-
amines, C12-18-alkyldimethyl, N-oxides	No data available	No data available	No data available	No data available
sodium hydroxide	-	-	-	-

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.

If available, please refer to the product information sheet for application and handling instructions.

Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific worker exposure description	LCS	PROC	Duration (min)	ERC
PC8-Biocidal products	PC8-Biocidal products	C	-	-	ERC8a
PC35-Washing and cleaning products	PC35-Washing and cleaning products	C	-	-	ERC8a
Manual application by dipping, soaking, pouring	AISE SWED PW 13 1	PW	PROC 13	60	ERC8a
Manual application	AISE SWED PW 19 2	PW	PROC 19	480	ERC8a

Personal protective equipment

Domestos Professional Original

Eye / face protection:	Safety glasses or goggles (EN 16321 / EN 166). The use of a full-face shield or other full-face protection is strongly recommended when handling open containers or if splashes may occur.
Hand protection:	Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature. Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: ≥ 480 min Material thickness: ≥ 0.7 mm Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: ≥ 30 min Material thickness: ≥ 0.4 mm In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.
Body protection:	Wear chemical-resistant clothing and boots in case direct dermal exposure and/or splashes may occur (EN 14605).
Respiratory protection:	If exposure to liquid particles or splashes cannot be avoided use: half mask (EN 140) with particle filter P2 (EN 143) or full-face mask (EN 136) with particle filter P1 (EN 143) Consider specific local use conditions. In consultation with the supplier of respiratory protection equipment a different type providing similar protection may be chosen. Specific applications tools may be available to limit exposure. Please refer to the product information sheet for the possibilities. Apply technical measures to comply with the occupational exposure limits, if available.
Environmental exposure controls:	Should not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

	Method / remark
Physical state: Liquid	
Colour: Clear , Light Not determined	
Odour: Product specific	
Odour threshold: Not applicable	
Melting point/freezing point (°C): Not determined	Not relevant to classification of this product
Initial boiling point and boiling range (°C): Not determined	See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
sodium hypochlorite (active chlorine)	Product decomposes before boiling	Method not given	1013
amines, C12-18-alkyldimethyl, N-oxides	No data available		
sodium hydroxide	> 990	Method not given	

	Method / remark
Flammability (solid, gas): Not applicable to liquids	
Flammability (liquid): Not flammable.	
Flash point (°C): Not applicable.	
Sustained combustion: Not applicable. (UN Manual of Tests and Criteria, section 32, L.2)	
Lower and upper explosion limit/flammability limit (%): Not determined	See substance data

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
sodium hypochlorite (active chlorine)	-	-

	Method / remark
Autoignition temperature: Not determined	
Decomposition temperature: Not applicable.	
pH: ≥ 11.5 (neat)	ISO 4316
Kinematic viscosity: ≈ 430 mPa.s (20 °C)	
Solubility in / Miscibility with water: Fully miscible	

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
sodium hypochlorite (active chlorine)	Soluble		
amines, C12-18-alkyldimethyl, N-oxides	No data available		
sodium hydroxide	1000	Method not given	20

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Vapour pressure: Not determined

See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
sodium hypochlorite (active chlorine)	Negligible		
amines, C12-18-alkyldimethyl, N-oxides	No data available		
sodium hydroxide	< 1330	Method not given	20

Relative density: $\approx$ 1.08 (20 °C)

Relative vapour density: No data available.

Particle characteristics: No data available.

Method / remark

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

9.2 Other information**9.2.1 Information with regard to physical hazard classes**

Explosive properties: Not explosive.

Oxidising properties: Not oxidising.

Corrosion to metals: Corrosive

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

May be corrosive to metals. Reacts with acids. Reacts with acids releasing toxic chlorine gas.

10.6 Hazardous decomposition products

Chlorine.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**Mixture data: .**Relevant calculated ATE(s):**

ATE - Oral (mg/kg): >2000

Substance data: where relevant and available, are listed below:.**Acute toxicity**

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Oral (mg/kg)
sodium hypochlorite (active chlorine)	LD ₅₀	1100	Rat	OECD 401 (EU B.1)	90	Not established
amines, C12-18-alkyldimethyl, N-oxides	LD ₅₀	846	Rat	OECD 401 (EU B.1)		846
sodium hydroxide		No data available				Not established

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE Dermal (mg/kg)
sodium hypochlorite (active chlorine)	LD ₅₀	> 20000	Rabbit	OECD 402 (EU B.3)		Not established
amines, C12-18-alkyldimethyl, N-oxides		No data				Not established

Domestos Professional Original

		available			
sodium hydroxide	LD ₅₀	1350	Rabbit	Method not given	Not established

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hypochlorite (active chlorine)	LC ₅₀	> 10.5 (vapour)	Rat	OECD 403 (EU B.2)	1
amines, C12-18-alkyldimethyl, N-oxides		No data available			
sodium hydroxide		No data available			

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
sodium hypochlorite (active chlorine)	Not established	Not established	Not established	Not established
amines, C12-18-alkyldimethyl, N-oxides	Not established	Not established	Not established	Not established
sodium hydroxide	Not established	Not established	Not established	Not established

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hypochlorite (active chlorine)	Corrosive	Rabbit	OECD 404 (EU B.4)	
amines, C12-18-alkyldimethyl, N-oxides	Irritant	Rabbit	OECD 404 (EU B.4)	
sodium hydroxide	Corrosive	Rabbit	Method not given	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hypochlorite (active chlorine)	Severe damage	Rabbit	OECD 405 (EU B.5)	
amines, C12-18-alkyldimethyl, N-oxides	Severe damage	Rabbit	OECD 405 (EU B.5)	
sodium hydroxide	Corrosive	Rabbit	Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
sodium hypochlorite (active chlorine)	Irritating to respiratory tract			
amines, C12-18-alkyldimethyl, N-oxides	No data available			
sodium hydroxide	No data available			

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
sodium hypochlorite (active chlorine)	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
amines, C12-18-alkyldimethyl, N-oxides	No data available			
sodium hydroxide	Not sensitising		Human repeated patch test	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
sodium hypochlorite (active chlorine)	Not sensitising			
amines, C12-18-alkyldimethyl, N-oxides	No data available			
sodium hydroxide	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
sodium hypochlorite (active chlorine)	No evidence for mutagenicity	OECD 471 (EU B.12/13)	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12)
amines, C12-18-alkyldimethyl, N-oxides	No data available		No data available	
sodium hydroxide	No evidence for mutagenicity, negative test results	DNA repair test on rat hepatocytes OECD 473	No evidence for mutagenicity, negative test results	OECD 474 (EU B.12) OECD 475 (EU B.11)

Carcinogenicity

Ingredient(s)	Effect
sodium hypochlorite (active chlorine)	No evidence for carcinogenicity, negative test results

Domestos Professional Original

amines, C12-18-alkyldimethyl, N-oxides	No data available
sodium hydroxide	No evidence for carcinogenicity, weight-of-evidence

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
sodium hypochlorite (active chlorine)	NOAEL	Developmental toxicity Impaired fertility	5 (C)	Rat	OECD 414 (EU B.31), oral OECD 415 (EU B.34), oral		No evidence for reproductive toxicity
amines, C12-18-alkyldimethyl, N-oxides			No data available				
sodium hydroxide			No data available				No evidence for developmental toxicity No evidence for reproductive toxicity

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hypochlorite (active chlorine)	NOAEL	50	Rat	OECD 408 (EU B.26)	90	
amines, C12-18-alkyldimethyl, N-oxides		No data available				
sodium hydroxide		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hypochlorite (active chlorine)		No data available				
amines, C12-18-alkyldimethyl, N-oxides		No data available				
sodium hydroxide		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
sodium hypochlorite (active chlorine)		No data available				
amines, C12-18-alkyldimethyl, N-oxides		No data available				
sodium hydroxide		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
sodium hypochlorite (active chlorine)			No data available					
amines, C12-18-alkyldimethyl, N-oxides			No data available					
sodium hydroxide			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
sodium hypochlorite (active chlorine)	Not applicable
amines, C12-18-alkyldimethyl, N-oxides	No data available
sodium hydroxide	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
sodium hypochlorite (active chlorine)	Not applicable
amines, C12-18-alkyldimethyl, N-oxides	No data available
sodium hydroxide	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards**11.2.1 Endocrine disrupting properties**

Endocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information**12.1 Toxicity**

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hypochlorite (active chlorine)	LC ₅₀	0.06	<i>Oncorhynchus mykiss</i>	Method not given	96
amines, C12-18-alkyldimethyl, N-oxides		No data available			
sodium hydroxide	LC ₅₀	35	<i>Various species</i>	Method not given	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hypochlorite (active chlorine)	EC ₅₀	0.035	<i>Ceriodaphnia dubia</i>	OECD 202 (EU C.2)	48
amines, C12-18-alkyldimethyl, N-oxides		No data available			
sodium hydroxide	EC ₅₀	40.4	<i>Ceriodaphnia sp.</i>	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
sodium hypochlorite (active chlorine)	NOEC	0.0021	<i>Not specified</i>	Method not given	168
amines, C12-18-alkyldimethyl, N-oxides		No data available			
sodium hydroxide	EC ₅₀	22	<i>Photobacterium phosphoreum</i>	Method not given	0.25

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
sodium hypochlorite (active chlorine)	EC ₅₀	0.026	<i>Crassostrea virginica</i>	Method not given	2
amines, C12-18-alkyldimethyl, N-oxides		No data available			
sodium hydroxide		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
sodium hypochlorite (active chlorine)		0.375	<i>Activated sludge</i>	Method not given	
amines, C12-18-alkyldimethyl, N-oxides		No data available			
sodium hydroxide		No data available			

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
---------------	----------	--------------	---------	--------	---------------	------------------

Domestos Professional Original

sodium hypochlorite (active chlorine)	NOEC	0.04	<i>Menidia pelinsulae</i>	Method not given	96 hour(s)	
amines, C12-18-alkyldimethyl, N-oxides		No data available				
sodium hydroxide		No data available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
sodium hypochlorite (active chlorine)	NOEC	0.007	<i>Crassostrea virginica</i>	Method not given	15 day(s)	
amines, C12-18-alkyldimethyl, N-oxides		No data available				
sodium hydroxide		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite (active chlorine)		No data available				
amines, C12-18-alkyldimethyl, N-oxides		No data available				
sodium hydroxide		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite (active chlorine)		No data available				
sodium hydroxide		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite (active chlorine)		No data available				
sodium hydroxide		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite (active chlorine)		No data available				
sodium hydroxide		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite (active chlorine)		No data available				
sodium hydroxide		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
sodium hypochlorite (active chlorine)		No data available				
sodium hydroxide		No data available				

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Domestos Professional Original

Ingredient(s)	Half-life time	Method	Evaluation	Remark
sodium hypochlorite (active chlorine)	115 day(s)	Indirect photo-oxidation		
sodium hydroxide	13 second(s)	Method not given	Rapidly photodegradable	

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium hypochlorite (active chlorine)	No data available			
sodium hydroxide	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
sodium hypochlorite (active chlorine)		No data available			
sodium hydroxide		No data available			

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
sodium hypochlorite (active chlorine)					Not applicable (inorganic substance)
amines, C12-18-alkyldimethyl, N-oxides			90%	OECD 301D	Readily biodegradable
sodium hydroxide					Not applicable (inorganic substance)

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
sodium hypochlorite (active chlorine)					No data available
amines, C12-18-alkyldimethyl, N-oxides					Readily biodegradable
sodium hydroxide					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
sodium hypochlorite (active chlorine)					No data available
sodium hydroxide					No data available

12.3 Bioaccumulative potentialPartition coefficient n-octanol/water (log K_{ow})

Ingredient(s)	Value	Method	Evaluation	Remark
sodium hypochlorite (active chlorine)	-3.42	Method not given	No bioaccumulation expected	
amines, C12-18-alkyldimethyl, N-oxides	No data available			
sodium hydroxide	No data available		Not relevant, does not bioaccumulate	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
sodium hypochlorite (active chlorine)	No data available				
amines, C12-18-alkyldimethyl, N-oxides	No data available				
sodium hydroxide	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K _{oc}	Desorption coefficient Log K _{oc} (des)	Method	Soil/sediment type	Evaluation
sodium hypochlorite (active chlorine)	1.12				High potential for mobility in soil
amines, C12-18-alkyldimethyl, N-oxides	No data available				
sodium hydroxide	No data available				Mobile in soil

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.
20 01 15* - alkalines.

European Waste Catalogue:**Empty packaging****Recommendation:**

Dispose of observing national or local regulations.

Suitable cleaning agents:

Water, if necessary with cleaning agent.

SECTION 14: Transport information**Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)**

14.1 UN number or ID number: 3266

14.2 UN proper shipping name:

Corrosive liquid, basic, inorganic, n.o.s. (sodium hypochlorite , sodium hydroxide)

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 8

14.4 Packing group: III**14.5 Environmental hazards:**

Environmentally hazardous: Yes

Marine pollutant: Yes

14.6 Special precautions for user: None known.**14.7 Maritime transport in bulk according to IMO instruments:** The product is not transported in bulk tankers.**Other relevant information:****ADR**

Classification code: C5

Tunnel restriction code: (E)

Hazard identification number: 80

IMO/IMDG

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations :**

- Regulation (EC) 1907/2006 - REACH (UK amended)
- Regulation (EC) 1272/2008 - CLP (UK amended)
- Regulation (EC) 648/2004 - Detergents regulation (UK amended)
- Biocidal Products Regulations 2001 (SI 2001/880)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
- International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to Detergents Regulation

non-ionic surfactants, soap
perfumes , disinfectants

< 5 %

Domestos Professional Original

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: E1 - Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS1005408

Version: 01.1

Revision: 2024-12-03

Reason for revision:

This data sheet contains changes from the previous version in section(s):, 13, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Abbreviations and acronyms:

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- ATE - Acute Toxicity Estimate
- DNEL - Derived No Effect Limit
- EC50 - effective concentration, 50%
- ERC - Environmental release categories
- EUH - CLP Specific hazard statement
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- LCS - Life cycle stage
- LD50 - Lethal Dose, 50% / Median Lethal dose
- NOAEL - No observed adverse effect level
- NOEL - No observed effect level
- OECD - Organisation for Economic Cooperation and Development
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- PROC - Process categories
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative
- H290 - May be corrosive to metals.
- H302 - Harmful if swallowed.
- H314 - Causes severe skin burns and eye damage.
- H315 - Causes skin irritation.
- H318 - Causes serious eye damage.
- H400 - Very toxic to aquatic life.
- H410 - Very toxic to aquatic life with long lasting effects.
- H411 - Toxic to aquatic life with long lasting effects.
- EUH031 - Contact with acids liberates toxic gas.

End of Safety Data Sheet