

# SAFETY DATA SHEET Astonish Bathroom Cleaner

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Astonish Bathroom Cleaner

Product number 022222

Internal identification 9716F4V3

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses**Cleaning hard surfaces in bathrooms. For non-porous hard surfaces.

**Uses advised against**Do not use on acid sensitive surfaces such as marble, limestone or travertine. Do not use on

cracked or damaged enamel. Do not mix with Chlorine bleach. Do not let product dry on

surface.

#### 1.3. Details of the supplier of the safety data sheet

**Supplier** The London Oil Refining Company Ltd

Astonish House Unit 1 Premier Point Staithgate Lane

Bradford, BD6 1DW, UK

Tel: +44 1274 767440 (8am-4pm Mon-Fri)

www.astonishcleaners.co.uk

Astonish Cleaners Europe Ltd

38 Main Street

Swords Co. Dublin

Republic of Ireland

K67E0A2

Tel: +353 768 885288 (8am-4pm Mon-Fri)

www.astonishcleaners.eu

Contact person info@astonish.co.uk

info@astonishcleaners.eu

**Manufacturer** As supplier.

# 1.4. Emergency telephone number

Emergency telephone UK - Emergency Telephone: +44 (0) 1274 767440 (8am-4pm Mon-Fri). Alternatively in UK:

Contact NHS 111 Telephone 111 (24 hours a day, 7 days a week); Website 111.nhs.uk or a

doctor.

ROI - Emergency Telephone: +353 768 885288 (8am-4pm Mon-Fri)

Poisons Information Centre of Ireland (ROI): + 353 (1) 809 2166 (8am-10pm 7 days a week)

#### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

#### Classification (EC 1272/2008)

Physical hazards Not Classified

**Health hazards** Eye Irrit. 2 - H319

Environmental hazards Not Classified

#### 2.2. Label elements

#### Hazard pictograms



Signal word Warning

Hazard statements EUH208 Contains Chloromethylisothiazolinone & Methyllisothiazolinone. May produce an

allergic reaction.

H319 Causes serious eye irritation.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P280 Wear protective gloves and eye protection. P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337+P313 If eye irritation persists: Get medical advice/ attention.

Additional Labelling None

**Detergent labelling** < 5% non-ionic surfactants, < 5% perfumes, Contains Chloromethylisothiazolinone &

Methyllisothiazolinone

# 2.3. Other hazards

None

# SECTION 3: Composition/information on ingredients

# 3.2. Mixtures

Citric Acid Monohydrate 1-5%

CAS number: 5949-29-1 EC number: 201-069-1 REACH registration number: 01-

2119457026-42-XXXX

Classification

Eye Irrit. 2 - H319

# Undecanol, branched and linear, ethoxylated (>5-15 EO)

1-5%

CAS number: 68439-46-3

Classification

Acute Tox. 4 - H302 Eye Dam. 1 - H318

Ethanol			<1%
CAS number: 64-17-5	EC number: 200-578-6	REACH registration number: 01-	
		2119457610-43-XXXX	
Classification			
Flam. Liq. 2 - H225			
Eye Irrit. 2 - H319			

Sodium Hydroxide			<1%
CAS number: 1310-73-2	EC number: 215-185-5	REACH registration number: 01-2119457892-27-XXXX	
Classification  Met. Corr. 1 - H290  Skin Corr. 1A - H314			

methanol			<1%
CAS number: 67-56-1	EC number: 200-659-6	REACH registration number: 01-2119433307-44-XXXX	
Classification			
Flam. Liq. 2 - H225			
Acute Tox. 3 - H301			
Acute Tox. 3 - H311			
Acute Tox. 3 - H331			
STOT SE 1 - H370			

Glycerol		<1%
CAS number: 56-81-5	EC number: 200-289-5	
Classification Not Classified		

2,2'-iminodiethanol			<1%
CAS number: 111-42-2	EC number: 203-868-0	REACH registration number: 01-2119488930-28-XXXX	
Classification			
Acute Tox. 4 - H302			
Skin Irrit. 2 - H315			
Eye Dam. 1 - H318			
STOT RE 2 - H373			
Aquatic Chronic 3 - H412			

Chloromethylisothiazolinone & Methyllisothiazolinone

<1%

CAS number: 55965-84-9 EC number: 611-341-5 REACH registration number: 01-

2120764691-48-XXXX

M factor (Acute) = 100 M factor (Chronic) = 100

Classification

Acute Tox. 3 - H301 Acute Tox. 2 - H310 Acute Tox. 2 - H330 Skin Corr. 1B - H314 Skin Sens. 1A - H317 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Inhalation Remove exposure and give water to drink if mouth irritation experienced. Seek medical advice

if recovery not rapid.

**Ingestion** Drink water. If symptoms persist seek medical advice.

Skin contact Wash skin thoroughly with soap and water. Remove contaminated clothing. Get medical

attention if irritation persists after washing.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Get medical attention if irritation persists after washing.

#### 4.2. Most important symptoms and effects, both acute and delayed

**Inhalation** Possible mild irritation of breathing passage and possible mouth irritation.

**Ingestion** Possible mild stomach upset and mild soreness of mouth.

**Skin contact** May cause skin irritation.

**Eye contact** Causes eye irritation.

# 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor

No data available

Specific treatments

No data available.

# SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media Use extinguisher suitable to cause of fire.

# 5.2. Special hazards arising from the substance or mixture

Specific hazards Product does not support combustion, minimal fire hazard. Minimal quantities of oxides of

carbon may be produced.

#### 5.3. Advice for firefighters

Protective actions during

firefighting

Use protection suitable to cause of fire.

#### SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin and eyes.

6.2. Environmental precautions

**Environmental precautions** Product is intended to be rinsed away to sewer after use. For bigger spillages non-household

spillages prevent entry into sewer or drains.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Absorb household spillages with e.g kitchen roll and dispose of in bin. Wipe affected area

clean with a damp cloth.

6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Use as instructed on label. Avoid breathing spray. Point spray away from face. Avoid contact

with eyes. Do not mix with chlorine bleach containing products. May release dangerous gas

(chlorine).

7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in ambient conditions. Keep out of the reach of children.

7.3. Specific end use(s)

Specific end use(s) Cleaning hard surfaces in the bathroom. Observe precautions in section 7.1.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

**Ethanol** 

Short-term exposure limit (15-minute): ELV (IE) 1000 ppm

Sodium Hydroxide

Short-term exposure limit (15-minute): WEL 2 mg/m<sup>3</sup>

methanol

Short-term exposure limit (15-minute): WEL 250 ppm 333 mg/m³ Long-term exposure limit (8-hour TWA): ELV (IE) 200 ppm 260 mg/m³

Glycerol

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ mist

2,2'-iminodiethanol

Long-term exposure limit (8-hour TWA): WEL 13 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit.

Citric Acid Monohydrate (CAS: 5949-29-1)

#### **Astonish Bathroom Cleaner**

PNEC - Fresh water; 0.44 mg/l

Sediment (Freshwater); 3.46 mg/kgSediment (Marinewater); 34.6 mg/kg

- marine water; 0.044 mg/l

STP; >1000 mg/lSoil; 33.1 mg/kg

Ethanol (CAS: 64-17-5)

**DNEL** Workers - Dermal; Long term : 343 mg/kg

Workers - Inhalation; : 950 mg/m<sup>3</sup>

Consumer - Inhalation; local effects: 950 mg/m³ Consumer - Dermal; Long term : 206 mg/kg

Consumer - Inhalation; : 114 mg/m³ Consumer - Oral; Long term : 87 mg/kg

PNEC - Fresh water; 0.96 mg/l

- marine water; 0.79 mg/l

- Sediment (Freshwater); 3.6 mg/kg

- Soil; 0.63 mg/kg

#### methanol (CAS: 67-56-1)

**DNEL** Workers - Dermal; Short term systemic effects: 40 mg/kg

Workers - Inhalation; Short term systemic effects: 260 mg/m³ Workers - Inhalation; Short term local effects: 260 mg/m³ Workers - Dermal; Long term systemic effects: 40 mg/kg Workers - Inhalation; Long term systemic effects: 260 mg/m³ Workers - Inhalation; Long term local effects: 260 mg/m³ Consumer - Dermal; Short term systemic effects: 8 mg/kg Consumer - Inhalation; Short term systemic effects: 50 mg/m³ Consumer - Oral; Short term systemic effects: 8 mg/kg Consumer - Inhalation; Long term local effects: 50 mg/m³ Consumer - Oral; Long term systemic effects: 8 mg/kg Consumer - Inhalation; Long term systemic effects: 50 mg/m³ Consumer - Dermal; Long term systemic effects: 8 mg/kg Consumer - Inhalation; Short term local effects: 50 mg/m³

PNEC - Fresh water; 154 mg/l

marine water; 15.4 mg/lSediment; 570.4 mg/kgSoil; 23.5 mg/kgSTP; 100 mg/l

- Intermittent release; 1540 mg/l

8.2. Exposure controls

**Eye/face protection** Wear eye protection. Avoid contact with face.

**Hand protection** For prolonged contact or sensitive skin wear rubber gloves.

Environmental exposure

controls

This product does not pose a hazard in normal use when following the usage instructions.

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Appearance Clear Blue liquid

# **Astonish Bathroom Cleaner**

Colour Blue.

Odour Fresh/Herbal
Odour threshold Not known.

pH (concentrated solution): 2.5 - 4.5

Melting point Not known.

**Initial boiling point and range** Not measured (>100°C)

Flash point Not determined.

Evaporation rate Not known.

Evaporation factor Not known.

Flammability (solid, gas) Does not ignite.

Upper/lower flammability or

explosive limits

Does not ignite.

Other flammability Not relevant.

Vapour pressure Not determined.

Vapour density > 1 (Air=1)

**Relative density** 0.997 - 1.011 @ 20°C

Bulk density

Not applicable.

Solubility(ies)

Soluble in water

Partition coefficientNot known.Auto-ignition temperatureNot known.Decomposition TemperatureNot available.

Explosive properties None

Explosive under the influence

of a flame

Viscosity

Not considered to be explosive.

Not determined.

Oxidising properties Not applicable.

9.2. Other information

Other information None.

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** Will react with chlorine bleach to produce chlorine gas

10.2. Chemical stability

**Stability** Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

None under normal conditions.

# 10.4. Conditions to avoid

# **Astonish Bathroom Cleaner**

Conditions to avoid None known.

10.5. Incompatible materials

Materials to avoid Do not mix with Chlorine Bleach

10.6. Hazardous decomposition products

Hazardous decomposition

Carbon oxides.

products

# SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Toxicological effects This mixture has not been tested. Based on the available data of the ingredients the

classification criteria are not met.

Acute toxicity - oral

ATE oral (mg/kg) 31,111.11

Toxicological information on ingredients.

# Citric Acid Monohydrate

Acute toxicity - oral

Acute toxicity oral (LD₅o

5,400.0

mg/kg)

Species Rat

**ATE oral (mg/kg)** 5,400.0

Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> 2,000.0

mg/kg)

Species Rabbit

Chloromethylisothiazolinone & Methyllisothiazolinone

Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> 4,467.0

mg/kg)

Species Rat

**ATE oral (mg/kg)** 100.0

Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> 5,000.0

mg/kg)

**Species** Rat

ATE dermal (mg/kg) 50.0

Acute toxicity - inhalation

ATE inhalation 0.05

(dusts/mists mg/l)

# SECTION 12: Ecological information

# **Astonish Bathroom Cleaner**

#### 12.1. Toxicity

**Toxicity** The mixture has not been tested. Based on the available data of the ingredients the

classification criteria are not met.

#### Ecological information on ingredients.

#### Citric Acid Monohydrate

Acute aquatic toxicity

Acute toxicity - fish LC50, 48 hours: 440 mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, 24 hours: 1535 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

NOEC, 8 days: 425 mg/l, Algae

Undecanol, branched and linear, ethoxylated (>5-15 EO)

Acute aquatic toxicity

Acute toxicity - fish LC<sub>50</sub>, 96 hours: >1 - 10 mg/l, Cyprinus carpio (Common carp)

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, 48 hours: >1 - 10 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC<sub>50</sub>, 72 hours: >1 - 10 mg/l, Desmodesmus subspicatus

Chloromethylisothiazolinone & Methyllisothiazolinone

Acute aquatic toxicity

**LE(C)**<sub>50</sub>  $0.001 < L(E)C50 \le 0.01$ 

M factor (Acute) 100

Acute toxicity - fish EC<sub>50</sub>, 96 hours: 0.22 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, 48 hours: 0.1 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC<sub>50</sub>, 72 hours: 0.048 mg/l, Pseudokirchneriella subcapitata

Acute toxicity -

microorganisms

EC<sub>20</sub>, 3 hours: 0.97 mg/l, Activated sludge

Chronic aquatic toxicity

M factor (Chronic) 100

12.2. Persistence and degradability

Persistence and degradability Does not contain any components considered to be persistent. Contains detergents that

satisfy the biodegradation requirements of directive 648/2004/EC. Alcohols branched/linear, ethoxylated - Readily biodegradable; >70%; 28d; aerobic; OECD Test Guideline 301A.

12.3. Bioaccumulative potential

Bioaccumulative potential Bioaccumulation is not expected.

Partition coefficient Not known.

12.4. Mobility in soil

#### **Astonish Bathroom Cleaner**

**Mobility** The components of the mixture are readily absorbed into soil and are mobile in water

environment.

#### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

No data available.

assessment

12.6. Other adverse effects

Other adverse effects Not known.

# SECTION 13: Disposal considerations

# 13.1. Waste treatment methods

General information Dispose of according to local regulations. Avoid disposing into drainage systems and into the

environment. Dispose of contaminated packaging in the same way as the product itself. Non-

contaminated packages may be recycled.

# SECTION 14: Transport information

General Not regulated.

14.1. UN number

Not applicable.

# 14.2. UN proper shipping name

Not applicable.

# 14.3. Transport hazard class(es)

Not regulated.

# 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

# Environmentally hazardous substance/marine pollutant

No.

# 14.6. Special precautions for user

Not applicable.

# 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

# SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations For Great Britain after the end of the transitional period, the EU Detergents Regulation - has

been amended by the Detergents EU Exit Statutory Instruments (SIs), that is:

the Detergents (Amendment) (EU Exit) Regulations 2019 (S.I. 2019/672)

the Detergents (Safeguarding) (Amendment) (EU Exit) Regulations 2019 (S.I. 2019/671)

the Detergents (Amendment) (EU Exit) Regulations 2020 (S.I. 2020/1617)

#### **EU** legislation

This safety data sheet is compliant with EC Regulation 1907/2006 (REACH) as adapted by

453/2010, Directive 67/548/EEC and EC Regulation 1272/2008 (CLP).

Dangerous Preparations Directive 1999/45/EC.

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March

2004 on detergents (as amended).

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

ATE: Acute Toxicity Estimate.
CAS: Chemical Abstracts Service.

DNEL: Derived No Effect Level.

EC50: 50% of maximal Effective Concentration.

GHS: Globally Harmonized System.

LC₅o: Lethal Concentration to 50 % of a test population.

LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).

NOEC: No Observed Effect Concentration.

PBT: Persistent, Bioaccumulative and Toxic substance.

PNEC: Predicted No Effect Concentration.

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation

(EC) No 1907/2006.

vPvB: Very Persistent and Very Bioaccumulative.

General information

Note: The hazard statements below are explanations of phrases used in the SDS as

abbreviations and DO NOT apply to the product. The statements applicable to the product are

those identified in Section 2 only.

Any animal testing information or data listed in this safety data sheet is historic published data within the public domain. There is a requirement to declare this information if it is known and this does not impact our cruelty free status. The London Oil Refining Company Ltd does not

commission animal testing.

Revision comments Updated Regulatory Information In Section 15

**Issued by** The London Oil Refining Company Ltd

Revision date 21/09/2021

Revision 4.3

Supersedes date 24/03/2021

SDS number 4957

# Hazard statements in full H225 Highly flammable liquid and vapour.

H290 May be corrosive to metals.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H331 Toxic if inhaled.

H370 Causes damage to organs.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

EUH208 Contains Chloromethylisothiazolinone & Methyllisothiazolinone. May produce an allergic reaction.